



determine security association information in parallel ipsec

Search

[Advanced Search](#)

Web

Results 11 - 20 of about 12,000 for **determine security association information in parallel ipsec**. (0.16 seconds)[Show options...](#)1. [Method and system for providing peer liveness for high speed ...](#)

In **IPsec** terms, the tunnels are known as **Security Associations (SA)**. ... (multiple **parallel** unidirectional links or MPLS LSPs, for example. ... session with the **security association** session is to **determine** liveness of the **security association**. ...

Information published here is for research/educational purposes only ...

www.freshpatents.com/Method-and-system-for-providing-peer-liveness-for-high-speed-environments-dt20080717ptan20080172582.php - [Cached](#)

2. [\(WO/2002/102026\) METHOD AND SYSTEM FOR HIGH-SPEED PROCESSING IPSEC ...](#)

One purpose of security protocols relate to **information** hiding. ... A context RAM receives a **security association** database (SAD) entry associated with multiple **parallel** processing threads (i.e., the channels) are used to achieve the packet header to **determine** if the packet is an **IPSec** security packet. ...

www.wipo.int/pctdb/ja/wipo.jsp?WC=2002102026&IA... - [Cached](#)

3. [\[PDF\] A Cryptographic Evaluation of IPsec.](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

by N Ferguson - [Cited by 151](#) - [Related articles](#)

a key space is highly **parallel**. ● No satisfactory reason for using initial permutation ...

Security Association (SA): An SA is a simplex (one-way) ... *If it is required to store the Authentication **Information** is it beneficial ... spending excessive CPU resources to **determine** its authenticity. ...

web.cs.wpi.edu/~rek/Adv_Nets/Spring2002/IPSec.pdf

4. [MIPv6 IPSEC and s=0 - msg#00086 - ietf.mobileip](#)

It SHOULD do this in **parallel** with other tasks related to movements, such as sending Binding Updates, as the use of existing **IPsec security associations** ...

osdir.com/ml/ietf.mobileip/2003-01/msg00086.html - [Cached](#)

5. A Scalable IPsec Policy Configuration System

Sep 15, 2003 ... process to **determine** what action should be taken on the packets based on ... The **IPsec Security Association** Database (SAD) contains **Parallel** work is going forward in the IPSP working group to define a COPS PIB that of this **information** to provide a richer view of a network's **IPsec** usage. ...
net-policy.sourceforge.net/SMIP/K2-architecture.pdf - [Similar](#)

6. draft-ietf-ipsec-esp-v2-05 - IP Encapsulating Security Payload (ESP)

3.3.1 **Security Association** Lookup ESP is applied to an outbound packet only ... It also allows for the possibility of **parallel** processing of packets at the ... all the extension headers to **determine** if there is a fragmentation header and Additional **information** also MAY be included in the audit log for each of ...
tools.ietf.org/html/draft-ietf-ipsec-esp-v2 - [Cached](#)

7. IPsec Troubleshooting: Understanding and Using debug Commands ...

Jul 15, 2009 ... This command shows the Internet **Security Association** Management Protocol of reordering in transmission medium (especially if **parallel** paths exist), This command displays debug **information** about **IPsec** connections and shows In order to **determine** the MTU of the whole path from source to ...
www.cisco.com/.../technologies_tech_note09188a00600949c5.shtml - [Cached](#) - [Similar](#)

8. z/OS V1R4 availability enhancements

Increase flexibility and reliability in a **Parallel** Sysplex with Distributed Byte critical to help accurately control LPARs and **determine** that LPARS defined in the policy ... For more **information**, visit the msys for Operations Web site. ... This is accomplished by allowing **IPSec Security Associations** (SA) to be ...
www-03.ibm.com + ... > Mainframe servers > Operating systems - [Cached](#)

9. Active Directory Replication over Firewalls

Jan 31, 2006 ... Configure Direct **parallel** so that neither remote access nor demand dial ... Internet key exchange (IKE)—**IPSec** uses IKE to establish security parameters EXE utility to observe when the machines establish the **IPSec security association**: ... (Unless the DCs have started to exchange **information**, ...
technet.microsoft.com/en-us/library/bb727063.aspx - [Cached](#) - [Similar](#)

10. IPsec Networking Standards — An Overview - Elsevier

by N Dunbar - 2001 - [Cited by 12](#) - [Related articles](#) - [All 2 versions](#)
... is that its requirements do not always **parallel** standard cryptographic protocols. A **Security Association** (SA for short) defines the method by which traffic ... The various fields which are used to **determine** which transforms get exchange (by

putting more **information** in each message sent) — however, ...
linkinghub.elsevier.com/retrieve/pii/S1363412701001066 - [Signa](#)

◀ Google ▶
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

determine security association information in parallel ipsec

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)